Reducing Health Disparities In High Cervical Cancer Mortality Regions


Susan S. Devesa, Ph.D.

Division of Cancer Epidemiology & Genetics


November 28, 2001




Cancer Mortality Rates by SEA (Age-adjusted 1970 US Population) Cervix Uteri: White Females, 1950-1998




Cancer Mortality Rates by SEA (Age-adjusted 1970 US Population) Cervix Uteri: Black Females, 1970-1998




Cancer Mortality Rates by County (Age-adjusted 1970 US Population) Cervix Uteri: White Females, 1970-98




Cancer Mortality Rates by County Cervix Uteri: White Females, 1970-94 (highest 20%)




Cancer Mortality Rates by County (Age-adjusted 1970 US Population) Cervix Uteri: Black Females, 1970-98



Cancer Mortality Rates by County Cervix Uteri: Black Females, 1970-94 (highest 20%)



Median Years of School by County, 1980



7.0 - 11.5 (lowest years)


11.5 - 12.2

12.2 - 12.4

12.4 - 12.6

12.6 - 15.6 (highest years)

SES Index Score by County, 1990



7.74 - 85.19 (lowest score)

85.19 - 96.90

96.90 - 104.93

104.93 - 114.41

114.41 - 172.65 (highest score)

Pearson Correlation Coefficients between Cervical Cancer Mortality* and Various Census# Variables

	Coefficient @	P-value	
Percent urban	-0.19126	<0.0001	
Median years of education	-0.40092	<0.0001	
Percent below poverty	0.31497	<0.0001	
Percent unemployed	0.28767	<0.0001	
Percent with Spanish surname	0.09166	<0.0001	
* 1970-94 county-level mortality am	ong white females		
# 1980 Census county-level charac	teristics		
@ weighted by population size			

Summary

- High mortality counties associated with populations with higher poverty and lower education
- Different racial/ethnic populations also have higher mortality rates
- Both population characteristics and social conditions may contribute to higher mortality rates

